| Event / Procedure | Comment | Normalizes Cycle | RE | IVF LDR | IVF Flare | IVF Antagonist | Synthetic Cryo | Natural Cryo | Recip Cycle | Cycle Status |
|---|---|---|---|---|---|---|---|---|---|---|
| | Procedures Require CP to be Checked off to indicate they have been completed - Otherwise they are only considered as Planned | | | | | | | | | |
| **With** | Cannot have With and GND in same stim | | Cycle Stops Prior to GND | Cycle Stops Prior to GND | Cycle Stops Prior to GND | Cycle Stops Prior to GND | Cycle Stops Prior to GND | Cycle Stops Prior to GND | Cycle Stops Prior to GND | Withdrawn |
| **Canc** | Regardless of reason use this to stop a cycle prior to pregnancy but after GND. May need to adjust cycle status | | Cycle Stops After GND put Prior to Preg | Cycle Stops After GND put Prior to Preg | Cycle Stops After GND put Prior to Preg | Cycle Stops After GND put Prior to Preg | Cycle Stops After GND put Prior to Preg | Cycle Stops After GND put Prior to Preg | Cycle Stops After GND put Prior to Preg | Cancelled |
| **Start** | Used to indicate begning of cycle | | Start CP with menses | Start CP with Lupron | Start CP with Menses | Start CP with Menses | Start CP with Lupron | Start CP with menses | Start CP with Lupron | In Progress |
| **GND** | Used to indicate first day of stimulation (e.g.gonadotropin or lupron with flare cycle); With Natural cycle used only to normalize to Day 3 | Day 3 | 2 Days after menses | With Gonadotropin Start | With Lupron Start | With Gonadotropin Start | With Estrace Start | 2 Days after menses | With Estrace Start | If cycle type = ER and cycle status = Preparing then **In Prep** |
| **Srg** | | Day 0 - All subsequent days indicated with a (+) | Day of hCG or +OPK | Day of hCG or +OPK | Day of hCG or +OPK | Day of hCG or +OPK | | Day of hCG or +OPK | | Post Srg |
| **NSrg** | | Day 0 - All subsequent days indicated with a (+) | | | | | 2 days Prior to Prog start on Synthetic Cryo Cycle | | | Post Srg |
| **Dhit** | | Day 0 - All subsequent days indicated with a (+) | | | | | | | Used to indicate day Donor gets hCG in Recip Cycle | Post Donor Hit |
| **NPreg** | Ends a cycle - All cycles with Srg should have Npreg or Preg | | Used to indicate Neg Preg | Used to indicate Neg Preg | Used to indicate Neg Preg | Used to indicate Neg Preg | Used to indicate Neg Preg | Used to indicate Neg Preg | Used to indicate Neg Preg | Done Not Pregnant |
| **Preg** | Ends a cycle - All cycles with Srg should have Npreg or Preg | | Indicate Postive Preg | Indicate Postive Preg | Indicate Postive Preg | Indicate Postive Preg | Indicate Postive Preg | Indicate Postive Preg | Indicate Postive Preg | Pregnant Ongoing |
| **End** | All Cycle with Loss Should have End - it also changes Cycle Status. | | Used Only After Loss to indicate End of Cycle (Neg Beta) | Used Only After Loss to indicate End of Cycle (Neg Beta) | Used Only After Loss to indicate End of Cycle (Neg Beta) | Used Only After Loss to indicate End of Cycle (Neg Beta) | Used Only After Loss to indicate End of Cycle (Neg Beta) | Used Only After Loss to indicate End of Cycle (Neg Beta) | Used Only After Loss to indicate End of Cycle (Neg Beta) | If cycle type = Donor or Diagnostic then **Done Preg Not Attempted** \ If cycle type = ER Synthetic Prep and cycle status is not Waiting Inactive or Waiting then **Complete** \ If there is a Preg with no PregUSS then **Done-Biochem** \ If there is a Loss with a FH then **Done-FH** \ If there is a Loss and a GS then **Done-Clinical** \ Everything else is **Done Not Preg** |
| **Dsch** | All Ongoing Pregnancies should have Dsch CP. Should also fill in OB in Pregnancy Details | | | | | | | | | Ongoing Preg - Discharged |
| **Deliv** | Indicates Date of Delivery - Should also fill information into Pregnancy Details Form | | | | | | | | | Done Delivered |